

From: [MichaelA Flagg](#)
To: [Flagg, MichaelA](#)
Subject: Fw: ANP Checklist Question
Date: Wednesday, August 14, 2013 5:25:42 PM

Michael Flagg
Air Quality Analysis Office
EPA Region 9
415.972.3372
Flagg.MichaelA@epa.gov

----- Forwarded by MichaelA Flagg/R9/USEPA/US on 08/14/2013 05:25 PM -----

From: MichaelA Flagg/R9/USEPA/US
To: Meredith Kurpius/R9/USEPA/US@EPA,
Cc: Elfego Felix/R9/USEPA/US@EPA, Katherine Hoag/R9/USEPA/US@EPA, Dena Vallano/R9/USEPA/US@EPA, Gwen Yoshimura/R9/USEPA/US@EPA, Idalia Perez/R9/USEPA/US@EPA, Rynda Kay/R9/USEPA/US@EPA
Date: 10/29/2012 01:39 PM
Subject: Re: ANP Checklist Question

Sounds good! Thanks Meredith.

Michael Flagg
Air Quality Analysis Office
EPA Region 9
415.972.3372
Flagg.MichaelA@epa.gov

▼ Meredith Kurpius---10/29/2012 01:28:09 PM---Yes. I am doing something for the minimum monitoring requirements for SC: they didn't give DV info b

From: Meredith Kurpius/R9/USEPA/US
To: MichaelA Flagg/R9/USEPA/US@EPA,
Cc: Elfego Felix/R9/USEPA/US@EPA, Katherine Hoag/R9/USEPA/US@EPA, Dena Vallano/R9/USEPA/US@EPA, Gwen Yoshimura/R9/USEPA/US@EPA, Idalia Perez/R9/USEPA/US@EPA, Rynda Kay/R9/USEPA/US@EPA
Date: 10/29/2012 01:28 PM
Subject: Re: ANP Checklist Question

Yes. I am doing something for the minimum monitoring requirements for SC: they didn't give DV info but they have so many sites that I know that they meet minimum monitoring requirements even without all the info. I am going to ask for them to specifically give me the rest of the information next year so that the documentation is more clear.

~~~~~

Meredith Kurpius, PhD  
Air Quality Analysis Office  
Air Division, US EPA  
75 Hawthorne St., AIR-7  
San Francisco, CA 94105  
415-947-4534 (p)  
415-947-3579 (f)

▼ MichaelA Flagg---10/29/2012 01:25:16 PM---So in this case, we would approve the "poor air quality"

requirement and make a comment that they sh

From: MichaelA Flagg/R9/USEPA/US  
To: Meredith Kurpius/R9/USEPA/US@EPA,  
Cc: Elfego Felix/R9/USEPA/US@EPA, Katherine Hoag/R9/USEPA/US@EPA, Dena Vallano/R9/USEPA/US@EPA, Gwen Yoshimura/R9/USEPA/US@EPA, Idalia Perez/R9/USEPA/US@EPA, Rynda Kay/R9/USEPA/US@EPA  
Date: 10/29/2012 01:25 PM  
Subject: Re: ANP Checklist Question

---

So in this case, we would approve the "poor air quality" requirement and make a comment that they should identify which site is meeting the criteria?

Michael Flagg  
Air Quality Analysis Office  
EPA Region 9  
415.972.3372  
Flagg.MichaelA@epa.gov

▼ Meredith Kurpius---10/29/2012 01:23:20 PM---Charlotte suggested that if we have any DV kind of info in the plan that shows poor air quality (ver

From: Meredith Kurpius/R9/USEPA/US  
To: MichaelA Flagg/R9/USEPA/US@EPA,  
Cc: Elfego Felix/R9/USEPA/US@EPA, Katherine Hoag/R9/USEPA/US@EPA, Dena Vallano/R9/USEPA/US@EPA, Gwen Yoshimura/R9/USEPA/US@EPA, Idalia Perez/R9/USEPA/US@EPA, Rynda Kay/R9/USEPA/US@EPA  
Date: 10/29/2012 01:23 PM  
Subject: Re: ANP Checklist Question

---

Charlotte suggested that if we have any DV kind of info in the plan that shows poor air quality (very broadly defined) then we should try to approve this one (same for the max. conc. pm2.5 site).

~~~~~

Meredith Kurpius, PhD
Air Quality Analysis Office
Air Division, US EPA
75 Hawthorne St., AIR-7
San Francisco, CA 94105
415-947-4534 (p)
415-947-3579 (f)

▼ MichaelA Flagg---10/29/2012 01:18:40 PM--- If they have not identified a site in the plan shouldn't the response be = insufficient informati

From: MichaelA Flagg/R9/USEPA/US
To: Meredith Kurpius/R9/USEPA/US@EPA,
Cc: Elfego Felix/R9/USEPA/US@EPA, Katherine Hoag/R9/USEPA/US@EPA, Dena Vallano/R9/USEPA/US@EPA, Gwen Yoshimura/R9/USEPA/US@EPA, Idalia Perez/R9/USEPA/US@EPA, Rynda Kay/R9/USEPA/US@EPA
Date: 10/29/2012 01:18 PM
Subject: Re: ANP Checklist Question

If they have not identified a site in the plan shouldn't the response be = insufficient information to make a judgement

?

Michael Flagg
Air Quality Analysis Office
EPA Region 9
415.972.3372
Flagg.MichaelA@epa.gov

▼ Meredith Kurpius---10/29/2012 01:16:03 PM---Well that's a bit of a pickle! There are two approaches that I can think of: 1. assume that any amou

From: Meredith Kurpius/R9/USEPA/US
To: Elfego Felix/R9/USEPA/US@EPA,
Cc: Katherine Hoag/R9/USEPA/US@EPA, MichaelA Flagg/R9/USEPA/US@EPA, Dena Vallano/R9/USEPA/US@EPA, Gwen Yoshimura/R9/USEPA/US@EPA, Idalia Perez/R9/USEPA/US@EPA, Rynda Kay/R9/USEPA/US@EPA
Date: 10/29/2012 01:16 PM
Subject: Re: ANP Checklist Question

Well that's a bit of a pickle! There are two approaches that I can think of:

1. assume that any amount of PM2.5 qualifies as poor air quality and so answer Yes, or
2. put NA and say that they can't put a monitor in an area of poor air quality because no such areas have been identified in the MSA.

Anybody have a preference?

-Meredith

~~~~~

Meredith Kurpius, PhD  
Air Quality Analysis Office  
Air Division, US EPA  
75 Hawthorne St., AIR-7  
San Francisco, CA 94105  
415-947-4534 (p)  
415-947-3579 (f)

▼ Elfego Felix---10/29/2012 12:04:29 PM---They are required 2 because of MSA population > 1M, does that change anything? -----

From: Elfego Felix/R9/USEPA/US  
To: Katherine Hoag/R9/USEPA/US@EPA,  
Cc: Meredith Kurpius/R9/USEPA/US@EPA, MichaelA Flagg/R9/USEPA/US@EPA, Dena Vallano/R9/USEPA/US@EPA, Gwen Yoshimura/R9/USEPA/US@EPA, Idalia Perez/R9/USEPA/US@EPA, Rynda Kay/R9/USEPA/US@EPA  
Date: 10/29/2012 12:04 PM  
Subject: Re: ANP Checklist Question

---

They are required 2 because of MSA population > 1M, does that change anything?  
-----

**Elfego Felix**

U.S. Environmental Protection Agency  
Pacific Southwest (Region 9)  
Air Quality Analysis Office  
75 Hawthorne Street (AIR-7)

San Francisco, CA 94105  
phone: 415.947.4141  
email: felix.elfego@epa.gov

▼ Katherine Hoag---10/29/2012 12:02:00 PM---that's correct - the requirement is only for areas with >1 required site So if their DVs are at or

From: Katherine Hoag/R9/USEPA/US  
To: Meredith Kurpius/R9/USEPA/US@EPA,  
Cc: Elfego Felix/R9/USEPA/US@EPA, MichaelA Flagg/R9/USEPA/US@EPA, Dena Vallano/R9/USEPA/US@EPA, Gwen Yoshimura/R9/USEPA/US@EPA, Idalia Perez/R9/USEPA/US@EPA, Rynda Kay/R9/USEPA/US@EPA  
Date: 10/29/2012 12:02 PM  
Subject: Re: ANP Checklist Question

---

that's correct - the requirement is only for areas with >1 required site

So if their DVs are at or below either 12.7 or 29 ug/m3 (annual or 24-hr), the MSA population would have to be >1M to need 2 monitors.

Kate

---

Katherine Hoag, Ph.D.  
U.S. EPA, Region 9  
Air Quality Analysis Office (AIR-7)  
75 Hawthorne Street  
San Francisco, CA 94105  
Hoag.Katherine@epa.gov  
(415) 972-3970

▼ Meredith Kurpius---10/29/2012 11:18:36 AM---If the DV is so low then they shouldn't have more than one PM2.5 site required, right? If and area h

From: Meredith Kurpius/R9/USEPA/US  
To: Elfego Felix/R9/USEPA/US@EPA,  
Cc: Katherine Hoag/R9/USEPA/US@EPA, MichaelA Flagg/R9/USEPA/US@EPA, Dena Vallano/R9/USEPA/US@EPA, Gwen Yoshimura/R9/USEPA/US@EPA, Idalia Perez/R9/USEPA/US@EPA, Rynda Kay/R9/USEPA/US@EPA  
Date: 10/29/2012 11:18 AM  
Subject: Re: ANP Checklist Question

---

If the DV is so low then they shouldn't have more than one PM2.5 site required, right? If and area has <= 1 PM2.5 site required then the answer is NA, I think.

-Meredith

~~~~~

Meredith Kurpius, PhD
Air Quality Analysis Office
Air Division, US EPA
75 Hawthorne St., AIR-7
San Francisco, CA 94105
415-947-4534 (p)
415-947-3579 (f)

▼ Elfego Felix---10/29/2012 10:38:56 AM---What if design values reported are well below NAAQS and they are not designated non-attainment for P

From: Elfego Felix/R9/USEPA/US
To: Katherine Hoag/R9/USEPA/US@EPA,
Cc: MichaelA Flagg/R9/USEPA/US@EPA, Dena Vallano/R9/USEPA/US@EPA, Gwen Yoshimura/R9/USEPA/US@EPA, Idalia Perez/R9/USEPA/US@EPA, Meredith Kurpius/R9/USEPA/US@EPA, Rynda Kay/R9/USEPA/US@EPA
Date: 10/29/2012 10:38 AM
Subject: Re: ANP Checklist Question

What if design values reported are well below NAAQS and they are not designated non-attainment for PM2.5, is it still necessary to check for this requirement or would it be N/A?

Clark has 7.7 and 20 ug/m3 DVs for annual and 24-hour respectively.

Elfego Felix

U.S. Environmental Protection Agency
Pacific Southwest (Region 9)
Air Quality Analysis Office
75 Hawthorne Street (AIR-7)
San Francisco, CA 94105
phone: 415.947.4141
email: felix.elfego@epa.gov

▼ Katherine Hoag---10/26/2012 01:12:53 PM---I think the answer is 'just say yes' unless there is information that you know the network is defici

From: Katherine Hoag/R9/USEPA/US
To: MichaelA Flagg/R9/USEPA/US@EPA,
Cc: Dena Vallano/R9/USEPA/US@EPA, Elfego Felix/R9/USEPA/US@EPA, Gwen Yoshimura/R9/USEPA/US@EPA, Idalia Perez/R9/USEPA/US@EPA, Meredith Kurpius/R9/USEPA/US@EPA, Rynda Kay/R9/USEPA/US@EPA
Date: 10/26/2012 01:12 PM
Subject: Re: ANP Checklist Question

I think the answer is 'just say yes' unless there is information that you know the network is deficient.

Katherine Hoag, Ph.D.
U.S. EPA, Region 9
Air Quality Analysis Office (AIR-7)
75 Hawthorne Street
San Francisco, CA 94105
Hoag.Katherine@epa.gov
(415) 972-3970

▼ MichaelA Flagg---10/26/2012 12:25:07 PM---I can not remember if we covered this already, but how are we checking #78 - PM2.5 site required in

From: MichaelA Flagg/R9/USEPA/US
To: Meredith Kurpius/R9/USEPA/US@EPA, Katherine Hoag/R9/USEPA/US@EPA, Gwen Yoshimura/R9/USEPA/US@EPA, Elfego

I can not remember if we covered this already, but how are we checking #78 - PM2.5 site required in area of poor air quality

Thoughts?

Thanks.

Michael Flagg
Air Quality Analysis Office
EPA Region 9
415.972.3372
Flagg.MichaelA@epa.gov